Translation

1. Supplement to the EC-Type Examination Certificate

- (2) Equipment and protective systems intended for use in potentially explosive atmospheres Directive 94/9/EC Supplement accordant with Annex III number 6
- (3) No. of EC-Type Examination Certificate: BVS 09 ATEX E 170

(4) Equipment: Leuchte type ASL55LED-Ex

(5) Manufacturer: F.H. Papenmeier GmbH & Co. KG

(6) Address: 58239 Schwerte, Germany

- (7) The design and construction of this equipment and any acceptable variation thereto are specified in the appendix to this supplement.
- (8) The certification body of DEKRA EXAM GmbH, notified body no. 0158 in accordance with Article 9 of the Directive 94/9/EC of the European Parliament and the Council of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive. The examination and test results are recorded in the test and assessment report BVS PP 10.2007/EG.
- (9) The Essential Health and Safety Requirements are assured by compliance with

EN 60079-0:2009 General requirements
EN 60079-1:2007 Flameproof enclosure
EN 60079-31:2009 Protection by enclosure

- (10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the appendix to this certificate.
- (11) This supplement to the EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment in accordance to Directive 94/9/EC.

 Further requirements of the Directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.
- (12) The marking of the equipment shall include the following:



II 2G Ex d IIC T6 Gb
II 2D Ex tb IIIC T80°C Db

DEKRA EXAM GmbH Bochum, dated 13.06.2012

Signed: Dr. Eickhoff
Signed: Dr. Wittler

Certification body
Special services unit

- (13) Appendix to
- (14) 1. Supplement to the EC-Type Examination Certificate BVS 09 ATEX E 170
- (15) 15.1 Subject and type

Luminaire type ASL55LED-Ex

15.2 Description

The luminaire type ASL55LED-Ex consists of an aluminium enclosure that is divide by a plate with bores into a luminaire compartment and a terminal/electronic compartment. The terminal/electronic compartment will be closed by use of a lid with a cable entry, the luminaire compartment will be closed by use of a ring flange with a cemented glass.

Lid and ring flange are additionally equipped with an o-ring gasket.

Reason for this supplement is the rise to the actual standards and the addition of two new variants of luminaires (24 V and 120-230 V with 6-times LED).

15.3 Parameters

15.3.1 Electrical parameters

Variant	Voltage	///Power
3-times LED	24 V AC / DC	////15/\\\//
	120-230 V/AC/DC////	////15/W///
6-times LED	//////////////////////////////////////	////2Ø/W///
	120-230 V AC/DC/////	////20/\\//

15.3.2 Thermal parameters

Ambient temperature range

/-20/°C/up/to/+40/°C

(16) Test and assessment report

BVS PP 10.2007 EG as of 13.06.2012

(17) Special conditions for safe use

None

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

DEKRA EXAM GmbH 44809 Bochum, 28.06.2012 BVS-Kir/Ar E 1296/12

Certification body

Special services unit



(3)



Translation

EC-Type Examination Certificate

(2) - Directive 94/9/EC -

Equipment and protective systems intended for use in potentially explosive atmospheres

BVS 09 ATEX E 170

(4) Equipment: Luminaire type ASL55LED-Ex

(5) Manufacturer: F.H. Papenmeier GmbH & Co. KG

(6) Address: 58239 Schwerte, Germany

- (7) The design and construction of this equipment and any acceptable variation thereto are specified in the appendix to this type examination certificate.
- (8) The certification body of DEKRA EXAM GmbH, notified body no. 0158 in accordance with Article 9 of the Directive 94/9/EC of the European Parliament and the Council of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.

The examination and test results are recorded in the test and assessment report BVS PP 10.2007 EG.

(9) The Essential Health and Safety Requirements are assured by compliance with:

EN 60079-0:2006 General requirements
EN 60079-1:2007 Flameproof enclosure
EN 61241-0:2006 General requirements
EN 61241-1:2004 Protection by enclosures

If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the appendix to this certificate.

This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment in accordance to Directive 94/9/EC.

Further requirements of the Directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate

The marking of the equipment shall include the following:



DEKRA EXAM GmbH

Bochum, dated 6th January 2010

Signed: Simanski

Signed: Dr. Eickhoff

Certification body

Special services unit



Appendix to

EC-Type Examination Certificate

BVS 09 ATEX E 170

(15) 15.1 Subject and type Luminaire type ASL55LED-Ex

15.2 Description

The luminaire type ASL55LED-Ex consists of an aluminium enclosure and is suitable for use in both gas and dust hazardous areas of categories 2G and 2D. The luminaire serves the purpose of monitoring objects and of remote-controlling procedural processes in reactors, apparatuses, containers etc. Inside the luminaire, the input voltage is adjusted to the operating voltage of the LED illuminants by means of a power board.

Category 2G:

The luminaire type ASL55LED-Ex is manufactured according to the type of protection Flameproof Enclosure 'd'.

Category 2D:

The luminaire type ASL55LED-Ex is manufactured according to the type of protection Protection by Enclosures 'tD'.

15.3 Paras 15.3.1	meters Electrical data				
15.3.1.1	24V-version Input voltage Power	max.	AC/DC	24 15	V W
15.3.1.2	120V up to 230V-version Input voltage Power	max.	AC/DC	120 - 230 15	V W
15.3.2	Thermal data				
	Ambient temperature range Temperature class Max. surface temperature		-20°C ≤ 7	$\Gamma_a \le +40$ $T6$ $\le 80^{\circ}C$	°C

Test and assessment report BVS PP 10.2007 EG as of 06.01.2010

(17) Special conditions for safe use None

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

44809 Bochum, 10.02.2010 BVS-Kr/Ld/Ar E 0131/10

DEKRA EXAM GmbH

Certification body Special services unit