


**EXTRA-LED-PLUS/FROST-1R-7500-258-4K, IP66**


Product type: 054483

Item number: 37125

IP66



Robust linear luminaire designed for harsh industrial environments with very high or low temperatures. The body is made of robust polycarbonate (RAL 7035). The housing is made of highly resistant opal polycarbonate guaranteeing excellent lighting homogeneity and glare reduction. Equipped with certified electronic components guaranteeing high efficiency up to 162 lm/W and LED lifetime up to 100,000 h even at high temperatures. It features high chemical, splash and dust resistance IP66, as well as high impact resistance IK10. Suitable for ambient temperatures from -40 °C to +70 °C (depending on luminaire variant). Supplied with plastic or stainless steel clips and mounting retaining pens. Designed for snap-on and hanging mounting.



**Dimensions**

**A x B x C** 1580 mm x 155 mm x 105 mm

## Specifications

### Light technical data

<b>Lighting fixture luminous flux</b>	6776 lm +/-10%	<b>Luminaire efficiency</b>	158 lm/W
<b>CRI</b>	≥80	<b>MacAdam</b>	3
<b>Beam angle</b>	Very wide beam >80°	<b>Colour temperature</b>	4000 K

### Electrical data

<b>Power input</b>	43 W	<b>Rated voltage AC</b>	220-240 V
<b>Frequency</b>	50/60 Hz	<b>Rated voltage DC</b>	220-240 V
<b>Control method</b>	ON/OFF luminaire	<b>Insulation class</b>	I
<b>Number of luminaires per circuit breaker B10A</b>	20	<b>Number of luminaires per circuit breaker B16A</b>	32
<b>Number of luminaires per circuit breaker C10A</b>	33	<b>Number of luminaires per circuit breaker C16A</b>	53
<b>Momentum current</b>	5 A		

### Mechanical data

<b>IP classification</b>	IP66	<b>Warranty</b>	5 years
<b>Operating temperature</b>	-40°C ≤ ta ≤ 65°C		

### Certification

<b>EAC</b>	EAES N RU E-CZ.PA01.B.01682/21
------------	--------------------------------

### Materials

<b>Material of the body</b>	PC (polycarbonate)	<b>Body colour</b>	RAL 7035 grey
<b>Cover material</b>	PC (polycarbonate) opal		

### Packaging

<b>Barcode (EAN)</b>	8592040266000	<b>Number of pieces per pallet</b>	60 pcs
----------------------	---------------	------------------------------------	--------

## Accessories to order


### Cable suspender – 3 m (2 pcs)

Item number: **3575**  
 Product type: **051131**



### Protective cage EXTRA, EUROPA – L15

Item number: **20043**  
 Product type: **001750-RAL9016**



### Set of wall brackets – 45° angle EXTRA, AISI304 – (2 pcs)

Item number: **34607**  
 Product type: **064643**




### Set of adjustable fixing brackets EXTRA (2 pcs)

Item number: **43432**  
 Product type: **065465**



## Polar diagram



© 2026 All rights reserved. VYRTYCH a.s. does not warrant the accuracy or completeness of the information provided herein and is not responsible for any events that may occur as a result of unqualified reliance on this information. The information contained herein does not constitute a commercial offer and does not form part of a quotation or contract, unless confirmed by VYRTYCH a.s..